

ADMINISTRATION OF THE UNION TERRITORY OF LAKSHADWEEP OFFICE OF THE SUPERINTENDING ENGINEER (PUBLIC WORKS DEPARTMENT) (CIRCLE) OFFICE, KAVARATTI- 682555.

F.No.2/2/2012-C1. /272.

Dated: 22.02.2012.

NOTIFICATION

Application are invited from the local candidates as per the terms and conditions stipulated in the existing Recruitment Rules for the post of Operator, Low Temperature Thermal Desalination Plant in Public Works Department, U.T. of Lakshadweep. Qualifications required as per the existing Recruitment Rule for the appointment to the above said post is given below:

| SI. No. | Name of post | Scale of pay | No. of posts | Qualification | Age |
|------------|--------------|-----------------------------------|--------------|--|---|
| 1. | Operator | ₹.5200 – 20200/- + GP ₹.1900/- | 6 | Essential: Pass in SSLC or equivalent. Desirable: 2 (Two) years experience in Desalination Plant in Lakshadweep | Between 18 to 25 years. Relaxable for Govt. servant/SC/ST candidates in accordance with the instructions or orders issued by the Central Govt. from time to time. Note: The crucial date for determining the age limit shall be the closing date for receipt of application from the candidates. |

Eligible candidates who posses required qualification are requested to submit their applications in plain paper with attested copies of certificates for proof of age, Caste Certificate, Educational qualification, Mark list and experience certificate etc., to the undersigned on or before 22nd March 2012 at 5 pm. Applications received without attested copies of above mentioned documents and received after the due date and time will be rejected. The selection of the candidates is absolutely based on the academic merit and based on the desirable qualification mentioned in the existing Recruitment Rule.

> (S.ATTAKOYA) Superintending Engineer.

To

1. The Sub Editor, Lakshadweep Times with request to publish in Lakshadweep Times.

2. The Technical Director, NIC, Secretariat, Kavaratti with request to publish the same in Lakshadweep Website.

Coy to: 1. Sub Divisional Officer in all islands/DC Agatti and Minicoy.

2. Executive Engineer, LPWD Division, Amini/Kalpeni/Kavaratti/Kochi.

3. Assistant Engineer (C), LPWD in all islands.

4. PA to CDC/Secretary (Works). (5) Notice Board in Office.

In whente.